
borrowed earth



SPECIFICATION SHEET

INSTALLATION

IN THE BOX



1. Over Counter Sink



 Drain Kit Mountain Plumbing Products (MT740-2)
20 Hole brass lavatory grid Drain with 6" Tailpiece and no overflow.



4. Manual

TOOLS REQUIRED









1. Level


2. Wrench

3. Pencil

4. Silicone

INSTALLATION


DRAIN KIT



Step 1


- 1. Disassemble MT-740 into parts (A), (B), (C).
- 2. Insert grid drain (A) into washbasin drain opening.

borrowed earth



Step 2

 Secure grid drain (A) to the washbasin with locknut assembly (B)



Step 3


- 1. Insert tailpiece (C) into grid drain (A).
- 2. Place stone drain cover into drain cover surface.

+1 (310)	341-6931	+1 (323) 538-3630
www.	BORROWEDEARTH	COLLABORATIVE.COM
INFO@	BORROWEDEARTH	COLLABORATIVE.COM


REMOVER STONE DRAIN COVER







INSTALLATION




1. Use a slab of minimum 30mm thickness.




3. Place the Drain Kit in the over counter.

borrowed earth




2. Drill the hole as shown in the diagram.




4. Flip the over counter then apply Silicone on the base's corner.

+1 (310)	341-6931	+1 (323) 538-3630
WWW.	BORROWEDEARTHO	OLLABORATIVE.COM
INFO@	BORROWEDEARTHC	OLLABORATIVE.COM

OVER COUNTER





- 5. Gently place the over counter on the slab.
- 6. Wait 24 Hrs. for the silicone to dry.

borrowed earth

borrowed earth

Borrowed Earth celebrates our inviolable connection to nature and attempts to recreate the innate joy of cohabiting amist it.



+1 (310) 341-6931 +1 (323) 538-3630 WWW. BORROWEDEARTHCOLLABORATIVE.COM INFO@ BORROWEDEARTHCOLLABORATIVE.COM