


borrowed earth

CRACKLE / ARCHITECTONIC ——— TILES

FACTSHEET



CRACKLE

ARCHITECTONIC



+1 (310) 341-6931

+1 (323) 538-3630

WWW. BORROWEDEARTHCOLLABORATIVE.COM


INFO@ BORROWEDEARTHCOLLABORATIVE.COM

borrowed earth

SIZING & SCALE
DIMENSION



SIZING & SCALE
WALL SCALING



Note : The tile is available with a thickness of 15 & 20 mm

AVAILABLE
STONE COLORS



TAJ WHITE
MARBLE



GUATEMALA
GREEN MARBLE



BLACK WAVE
MARBLE



CREMA
LIMESTONE



GREY FANTASY
MARBLE



LAVENDER HUE
MARBLE



TRAVERTINE
BEIGE

SUGGESTIONS
APPLICATION



The tile is laid only in one direction as the fluidity of the lines remains uncompromized. The tile can be laid out for walls.



The tile is suitable for internal and external areas including the wet areas. The tile can be used for Interior Wall, Shower Wall, Exterior Wall, Fireplace Backsplash.



Lighting is a key component. It significantly enhances the design. A great lighting needs to wash down or across the surface, depending on whether the grains run horizontally or vertically.

+1 (310) 341-6931

+1 (323) 538-3630

WWW. BORROWEDEARTHCOLLABORATIVE.COM

INFO@ BORROWEDEARTHCOLLABORATIVE.COM

AVAILABLE
MATERIALS



TAJ WHITE
MARBLE



GUATEMALA GREEN
MARBLE



LAVENDER HUE
MARBLE



BLACK WAVE
MARBLE



CREMA
LIMESTONE



GREY FANTASY
MARBLE

+1 (310) 341-6931

+1 (323) 538-3630

WWW. BORROWEDEARTHCOLLABORATIVE.COM

INFO@ BORROWEDEARTHCOLLABORATIVE.COM

borrowed earth

